

On the Negative Pell Equation $y^2 = 10x^2 - 6$

¹ K Meena, ² MA Gopalan, ³ R Karthika

¹ Former VC, Bharathidasan University, Trichy.

² Professor, Dept. of Mathematics, SIGC, Trichy.

³ M Phil Scholar, Dept. of Mathematics, SIGC, Trichy.

Abstract

The binary quadratic equation represented by the negative Pellian $y^2 = 10x^2 - 6$ is analyzed for its distinct integer solutions. A few interesting relations among the solutions are also given. Further, employing the solutions of the above hyperbola, we have obtained solutions of other choices of hyperbolas, parabolas and special Pythagorean triangle.

Keywords: Binary quadratic, hyperbola, parabola, integral solutions, Pell equation. 2010 mathematics subject classification: 11D09.

Introduction

Diophantine equation of the form $y^2 = Dx^2 + 1$, where D is a given positive square-free integer is known as Pell equation and is one of the oldest Diophantine equation that has interesting mathematicians all over the world, since antiquity, J.L. Lagrange proved that the positive Pell equation $y^2 = Dx^2 + 1$ has infinitely many distinct integer solutions whereas the negative Pell equation $y^2 = Dx^2 - 1$ does not always have a solution. In [1], an elementary proof of a criterion for the solvability of the Pell equation $x^2 - Dy^2 = -1$ where D is any positive non-square integer has been presented. For examples the equations $y^2 = 3x^2 - 1$, $y^2 = 7x^2 - 4$ have no integer solution whereas $y^2 = 65x^2 - 1$, $y^2 = 202x^2 - 1$ have integer solutions. In this context, one may refer [2-9]. More specifically, one may refer "The On-line Encyclopedia of integer sequences" (A031396, A130226, A031398) for values of D for which the negative Pell equation $y^2 = Dx^2 - 1$ is solvable or not. In this communication, the negative Pell equation given by $y^2 = 31x^2 - 6$ is considered and infinitely many integer solutions are obtained. A few interesting relations among the solutions are presented.

Method of Analysis

The negative Pell equation representing hyperbola under consideration is

$$y^2 = 10x^2 - 6 \tag{1}$$

whose smallest positive integer solution is $x_0 = 1, y_0 = 2$

To obtain the other solutions of (1), consider the Pell equation

$y^2 = 10x^2 + 1$ whose solution is given by

$$\tilde{x}_n = \frac{1}{2} f_n, \tilde{y}_n = \frac{1}{2\sqrt{10}} g_n$$

where,

$$f_n = (19 + 6\sqrt{10})^{n+1} + (19 - 6\sqrt{10})^{n+1}$$

$$g_n = (19 + 6\sqrt{10})^{n+1} - (19 - 6\sqrt{10})^{n+1}$$

Applying Brahmagupta Lemma between (x_0, y_0) and $(\tilde{x}_n, \tilde{y}_n)$, the other integer solutions of (1) are given by

$$x_{n+1} = f_n + \frac{1}{2\sqrt{10}} g_n$$

$$y_{n+1} = 5f_n + \frac{1}{\sqrt{10}} g_n$$

The recurrence relations satisfied by the solutions x & y are given by

$$x_{n+1} - 38x_{n+2} + x_{n+3} = 0, x_0 = 1, x_1 = 31$$

$$x_{n+1} - 38y_{n+2} + y_{n+3} = 0, y_0 = 2, y_1 = 98$$

Some numerical examples of x & y satisfying (1) are given in the table below

n	x_n	y_n
0	1	2
1	31	98
2	1177	3722
3	44695	141338
4	1697233	5367122

From the above table, we observe some interesting relations among the solutions which are presented below

- 1) x_n is always odd.
- 2) y_n is always even.
- 3) Each of the following expressions is a nasty number.

- a. $20x_{2n+2} - 4y_{2n+2} + 12$
b. $\frac{5583x_{2n+2} - 3x_{2n+4} + 2052}{171}$
c. $\frac{3722x_{2n+3} - 98x_{2n+4} + 36}{3}$
d. $\frac{y_{2n+4} - 1177y_{2n+2} + 1368}{114}$
e. $\frac{y_{2n+3} - 31y_{2n+2} + 36}{3}$
f. $\frac{31y_{2n+4} - 1177y_{2n+3} + 36}{3}$
g. $\frac{620x_{2n+2} - 4y_{2n+3} + 228}{19}$
h. $\frac{20x_{2n+3} - 196y_{2n+2} + 228}{19}$
- 4) $\frac{10x_{3n+3} - 2y_{3n+3} + 342}{3}$ is a cubical integer.
5) $x_{n+3} = 38x_{n+2} - x_{n+1}$
6) $6y_{n+1} = x_{n+2} - 19x_{n+1}$
7) $6y_{n+2} = 19x_{n+2} - x_{n+1}$

- 8) $6y_{n+3} = 721x_{n+2} - 19x_{n+1}$
9) $721x_{n+1} = x_{n+3} - 228y_{n+1}$
10) $60x_{n+2} = 19y_{n+2} - y_{n+1}$
11) $60x_{n+2} = y_{n+3} - 19y_{n+2}$
12) $x_{n+2} = 19x_{n+3} - 6y_{n+3}$
13) $120x_{n+2} = y_{n+3} - y_{n+1}$
14) $x_{n+1} = x_{n+3} - 12y_{n+2}$
15) $721x_{n+2} = 19x_{n+3} - 6y_{n+1}$
16) $60x_{n+1} = y_{n+2} - 19y_{n+1}$
17) $60x_{n+1} = 19y_{n+3} - 721y_{n+2}$
18) $721x_{n+2}^2 = 19x_{n+3}x_{n+2} - 6y_{n+1}x_{n+2}$
19) $60x_{n+2}^2 = 19y_{n+2}x_{n+2} - y_{n+1}x_{n+2}$
20) $721x_{n+1}^2 = x_{n+3}x_{n+1} - 228y_{n+1}x_{n+1}$
21) $60x_{n+1}^2 = y_{n+2}x_{n+1} - 19y_{n+1}x_{n+1}$
22) $2280x_{n+1} = y_{n+3} - 721y_{n+1}$

Remarkable Observations

I. Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of hyperbolas which are presented in the table 1 below.

Table 1

S. No	Hyperbola	(X, Y)
1	$X^2 - Y^2 = 36$	$(\frac{10x_{n+1} - 2y_{n+1}}{3}, \frac{\sqrt{10}y_{n+1} - 2\sqrt{10}x_{n+1}}{3})$
2	$X^2 - Y^2 = 7485696$	$(\frac{1861x_{n+1} - x_{n+3}}{342}, \frac{\sqrt{10}x_{n+3} - 1177\sqrt{10}x_{n+1}}{684})$
3	$X^2 - Y^2 = 5184$	$(\frac{1861x_{n+2} - 49x_{n+3}}{9}, \frac{31\sqrt{10}x_{n+3} - 1177\sqrt{10}x_{n+2}}{18})$
4	$X^2 - Y^2 = 74856960$	$(\frac{y_{n+3} - 1177y_{n+1}}{684}, \frac{1861y_{n+1} - y_{n+3}}{342\sqrt{10}})$
5	$X^2 - Y^2 = 51840$	$(\frac{y_{n+2} - 31y_{n+1}}{18}, \frac{49y_{n+1} - y_{n+2}}{9\sqrt{10}})$
6	$X^2 - Y^2 = 51840$	$(\frac{31y_{n+3} - 1177y_{n+2}}{18}, \frac{1861y_{n+2} - 49y_{n+3}}{9\sqrt{10}})$
7	$X^2 - Y^2 = 51984$	$(\frac{310x_{n+1} - 2y_{n+2}}{57}, \frac{\sqrt{10}y_{n+2} - 98\sqrt{10}x_{n+1}}{57})$
8	$X^2 - Y^2 = 51984$	$(\frac{10x_{n+2} - 98y_{n+1}}{57}, \frac{31\sqrt{10}y_{n+1} - 2\sqrt{10}x_{n+2}}{57})$

II. Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of parabolas which are presented in the table 2 below.

Table 2

S. No	Parabola	(X, Y)
1	$Y^2 = 3X - 36$	$(\frac{10x_{2n+2} - 2y_{2n+2}}{3}, \frac{\sqrt{10}y_{n+1} - 2\sqrt{10}x_{n+1}}{3})$
2	$Y^2 = 1368X - 7485696$	$(\frac{1861x_{2n+2} - x_{2n+4}}{342}, \frac{\sqrt{10}x_{n+3} - 1177\sqrt{10}x_{n+1}}{684})$
3	$Y^2 = 36X - 5184$	$(\frac{1861x_{2n+3} - 49x_{2n+4}}{9}, \frac{31\sqrt{10}x_{n+3} - 1177\sqrt{10}x_{n+2}}{18})$
4	$Y^2 = 1368\sqrt{10}X - 7485696$	$(\frac{y_{2n+4} - 1177y_{2n+2}}{684}, \frac{1861y_{n+1} - y_{n+3}}{342\sqrt{10}})$
5	$Y^2 = 36\sqrt{10}X - 51840$	$(\frac{y_{2n+3} - 31y_{2n+2}}{18}, \frac{49y_{n+1} - y_{n+2}}{9\sqrt{10}})$
7	$Y^2 = 114X - 51984$	$(\frac{310x_{2n+2} - 2y_{2n+3}}{57}, \frac{\sqrt{10}y_{n+2} - 98\sqrt{10}x_{n+1}}{57})$
8	$Y^2 = 114X - 51984$	$(\frac{10x_{2n+3} - 98y_{2n+2}}{57}, \frac{31\sqrt{10}y_{n+1} - 2\sqrt{10}x_{n+2}}{57})$

III. Consider $m = x_{n+1} + y_{n+1}, n = x_{n+1}$ observe that $m > n > 0$. Treat m, n as the generators of the pythagorean triangle $T(\alpha, \beta, \gamma)$, where $\alpha = 2mn, \beta = m^2 - n^2, \gamma = m^2 + n^2$

Then the following interesting relations are observed.

- a) $\alpha - 5\beta + 4\gamma = 6$
- b) $6\beta - 5\gamma - \frac{4A}{P} = -6$
- c) $\gamma - 6\alpha + \frac{20A}{P} = -6$

Conclusion

In this paper, we have presented infinitely many integer solutions for the hyperbola represented by the negative Pell equation $y^2 = 10x^2 - 6$. As the binary quadratic Diophantine equation are rich in variety, one may search for the other choices of negative Pell equations and determine their integer solutions along with suitable properties.

References

1. Mollin RA, Anitha Srinivasan. A Note on the Negative Pell Equation, International Journal of Algebra. 2010; 4(19):919-922.
2. Whitford EE. Some Solutions of the Pellian Equations $x^2 - Ay^2 = \pm 4$ JSTOR: Annals of Mathematics, Second Series 1913-1914; 1:157-160.
3. S. Ahmet Tekcan. Betw Gezer and Osman Bizim, "On the Integer Solutions of the Pell Equation $x^2 - dy^2 = 2^t$,

World Academy of Science, Engineering and Technology 2007; 1:522-526.

4. Ahmet Tekcan. The Pell Equation. $x^2 - (k^2 - k)y^2 = 2^t$, World Academy of Science, Engineering and Technology 2008; 19:697-701.
5. Merve Guney. Solutions of the pell equations $x^2 - (a^2b^2 + 2b)y^2 = 2^t$, when $N \in (\pm 1, \pm 4)$, Mathematica Aterna 2012; 2(7):629-638.
6. V Sangeetha, M.A Gopalan, Manju Somanath. On the Integral Solutions of the pell Equation $x^2 = 13y^2 - 3^t$, International Journal of Applied Mathematical Research. 2014; 3(1):58-61.
7. M.A Gopalan, G Sumathi, S vidhyalakshmi. Observations on the hyperbola $x^2 = 19y^2 - 3^t$, Scholars Journal of the Engineering and Technology. 2014; 2(2A):152-155.
8. M.A Gopalan, S Vidhyalakshmi, A Kavitha. On The Integral Solution of the Binary Quadratic Equation $x^2 = 15y^2 - 11^t$, Scholars Journal of the Engineering and Technology. 2014; 2(2A):156-158.
- a. S Vidhyalakshmi, V Krithika, K Agalya. On The Negative Pell Equation, Proceedings of the National Conference on MATAM, 2015, 4-9.